Basket of Diamonds Quilt Block Pattern from Sunrise Quilt Studio

Sunrisequiltstudio.wordpress.com Youtube.com/user/sunrisequiltstudio Instagram: @sunrisequiltstudio



```
Tutorial video:
https://sunrisequiltstudio.wordpress.com/2021/04/16/basket-of-diamonds/
```

Think "<u>Vintage</u>" when selecting fabrics for this block! Off-white or soft white background, small/soft flowers.

Fabric requirements for one 12-inch (finished) block. Block will measure 12-1/2".

Fabric	For one block	Sub-cut
Green [solid, tonal, small print]	A: 2 – 4" squares	Cut 1 on diagonal
	B: 4 – 3-1/2" squares	
Yellow-ish [tonal or small print]	C: 2 – 3-1/2" squares	Draw diagonal line on wrong side
	D: 1 – 4" square	Draw diagonal line on wrong side
Background [Off-white]	E: 1 – 6-7/8" square	Cut on diagonal once
	F: 4 – 3-1/2" x 6-1/2" rectangles	
	G: 1 – 3-1/2" square	

General Sewing Instructions

Use a ¼" seam allowance. Press seams as you sew.

Step 1 – Make HSTs

Place A square right sides with D square. Sew ¼" away from both sides of the drawn line on square D. Cut apart on drawn line. Press seam towards square D. Trim HSTs to 3 ½" square.

Step 2 – Make Flying Geese


Follow diagram for placement of squares C and B. Placement is different on each flying geese unit.

Place B square right sides together with F rectangle as shown in diagram. Sew on drawn line. Trim leaving ¼" seam allowance.



Press towards B fabric.

Place C square right sides together with F rectangle as show in diagram. Sew on drawn line. Trim leaving ¼" seam allowance. Press towards C fabric.



Step 3 – Sew Block Together

Lay out the pieces of the block following diagram.

A. Sew Unit 1 flying geese to G square.




B. Sew a B square to an A-D HST following the diagrams for placement.




C. Sew these 2 units together.



D. Sew unit 2 flying geese to unit made in step C.




E. Add the unit 1 section to top of unit made in step D.




F. Sew A triangles to F rectangle following diagrams.



G. Sew units in step F to unit made in step E following diagram for placement. Trim diagonal seam to ¼" width.



H. Sew E triangle to block.



Finished vintage block.

